

## rr

Diagrams illustrating the 2.5% and 5.7% components of the total area. The 5.7% component is shown as a separate area, and the 21% component is also indicated.

Handwritten notes and calculations related to the diagrams, including the formula  $H_2O$  and the year 1989.

## rr rr

Handwritten notes and calculations, including the formula  $E = a + b + c + d + e + f + g + h + i + j + k + l + m + n + o + p + q + r + s + t + u + v + w + x + y + z$ .

.....







G . . . J, C (2004). A . . a . . a . . a . . a . .  
a . . a . . J Water & Health 2(1):1-131

Hij . A . ij JF, B . P, i . A, M . a GJ (2004). E . i . a . i . , i . a . i . a .  
a . . a . . a . . a . . Water Sci Technol. 50(1):147-54.

Ki . . L , M C . a . KE, D Ca . Pi . M, A a j JG, D . a . MA, G . a . L .  
(1985). F a i l l . a . i . a . i . - . a . . i . a . i . a . N . . - a . . B a i . J.  
Hyg(Lond).94(2): 173-80

Pa . a . , G., Ma . , D., J . . i . , A., M i . i . , . . . , K a . , K. K., D . a . B. J. (1999).  
a . . a . . a . . Ma . . i . . a . . a . . Environ Toxicol 14:217-225,

i . E, Ki . a . A . . A . . M . a . . a . i . H . a . L, M i . E (2002). Dia . a .  
a . . a . . a . . a . . a . . a . . a . . a . . a . . a . . a . . a . . a . .  
Hyg 66(5): 584-9

ME, M . a . CE, L . . MB, A . a . M, H . . a . M, O . . CA, Ba i . KG, K . i . BH, L . .  
P (2002). A . a . i . . . . i . a . . . . a . . a . . i . . a . . i . . a . .  
a . . a . . i . a . . a . . i . . a . . G a . . a . a . Am J. Trop. Med. Hyg. 64(4)

H (2004).  
. Adv Appl Microbiol. 54:333-65

MD (2002). *Managing water in the home: accelerated health gains from improved water supply*. G . . a . . . . H a . O a i a i . ( HQ/ DE/ . H/02.07)

HO (2002). *The World Health Report 2002*. G . . a . . . . H a . O a i a i . .

P . a . . EDC  
Wa\_e E . ee . a d De\_e . e . Ce . e  
Sc . f A c . ec . e, B . d . a d C . E . ee  
L . . b . . U . e . .  
Le . ce . e . e LE11 3TU UK

+ 44 (0) 1509 222885  
E: . . @ . . a . .  
: . . . . a . . /

---